L Number	Hits		DB	Time stamp
1	67	equation with size with sigma	USPAT;	2004/09/15 16:55
			US-PGPUB;	
:			EPO; JPO;	
			DERWENT;	
2	54	(equation with size with sigma) and	IBM_TDB USPAT;	2004/09/15 16:57
2]]4	(@ad<=19991028 or @rlad<=19991028)	US-PGPUB;	2004/03/13 10:3/
		((00 13331020 01 (1100 13331020)	EPO; JPO;	
			DERWENT;	
	1		IBM TDB	
3	8	(equation with size with sigma) and	USPĀT;	2004/09/15 16:57
		(@ad<=19991028 or @rlad<=19991028) and	US-PGPUB;	
		(video or TV or television)	EPO; JPO;	
			DERWENT;	
	36	diana and a sign and a sign and	IBM_TDB	2004/00/00 10:51
-	36	digest with playback	USPAT; US-PGPUB;	2004/09/08 18:51
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	131	Steele.in. and segment	USPĀT;	2004/09/08 18:51
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	1	Steele.in. and segment same pointer	USPAT;	2004/09/08 18:57
			US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM TDB	
l _	34	5884056.URPN.	USPAT	2004/09/08 18:52
-	0	(playback near5 pointer\$1) same	USPAT;	2004/09/08 18:58
		multicast\$3	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	8	(playback near5 point\$4) same multicast\$3	USPAT;	2004/09/08 19:04
			US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM TDB	
_	137	725/88,102.ccls.	USPAT;	2004/09/08 19:11
		, ,	US-PGPUB;	
			EPO; JPO;	1
			DERWENT;	!
			IBM_TDB	
-	60	725/88,102.ccls. and buffer\$3 and delay\$3	USPAT;	2004/09/08 19:06
]		US-PGPUB;	
]		EPO; JPO; DERWENT;	
			IBM TDB	
_	12	725/88,102.ccls. and buffer\$3 and delay\$3	USPAT;	2004/09/08 19:06
		and multicast\$3	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	15	725/88,102.ccls. and buffer\$3 and	USPAT;	2004/09/08 19:06
		multicast\$3	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
_	91	725/88,102.ccls. and buffer\$3	IBM_TDB USPAT;	2004/09/08 19:11
	´		US-PGPUB;	2003/05/00 13.11
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	74	725/88,102.ccls. and (@ad<=19991028 or	USPĀT;	2004/09/15 16:56
		@rlad<=19991028)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	<u></u>		IBM_TDB	

-	504	Ellis.in. and counter	USPAT; US-PGPUB;	2004/09/09 13:22
			EPO; JPO; DERWENT;	
_	127	Ellis.in. and counter and record\$3	IBM_TDB USPAT;	2004/09/09 13:22
		and country and country	US-PGPUB;	1001,00,00
			EPO; JPO; DERWENT;	
			IBM TDB	
-	0	Ellis.in. and counter and 'to be recorded'	USPAT;	2004/09/09 13:23
			US-PGPUB; EPO; JPO;	
			DERWENT;	•
_	2	Ellis.in. and counter and (record\$3 near3	IBM_TDB USPAT;	2004/09/09 13:24
	_	schedul\$3)	US-PGPUB;	2001,03,03 13.21
			EPO; JPO; DERWENT;	
			IBM TDB	
-	13	,	USPAT;	2004/09/09 13:25
		list\$3)	US-PGPUB; EPO; JPO;	
			DERWENT;	
_	10	(Ellis.in. and counter and (record\$3 with	IBM_TDB USPAT;	2004/09/09 17:29
		list\$3)) and (@ad<=19991028 or	US-PGPUB;	
		@rlad<=19991028)	EPO; JPO; DERWENT;	
			IBM_TDB	
-	1106	rewind with point\$3	USPAT; US-PGPUB;	2004/09/09 13:27
			EPO; JPO;	
			DERWENT; IBM TDB	
-	44	(rewind with point\$3) and 725/87-104.ccls.	USPAT;	2004/09/09 13:28
			US-PGPUB; EPO; JPO;	
			DERWENT;	
_	22	((rewind with point\$3) and	IBM_TDB USPAT;	2004/09/09 17:27
		725/87-104.ccls.) and (@ad<=19991028 or	US-PGPUB;	2004/05/05 17.27
		@rlad<=19991028)	EPO; JPO; DERWENT;	
			IBM TDB	
_	6945	(VCR with (television or monitor or display))	USPAT;	2004/09/09 17:28
		dispidy//	US-PGPUB; EPO; JPO;	
			DERWENT; IBM TDB	
-	0	(VCR with (television or monitor or	USPAT;	2004/09/09 17:28
		display))same pastforward	US-PGPUB; EPO; JPO;	
			DERWENT;	
_	0	(VCR with (television or monitor or	IBM_TDB USPAT:	2004/09/09 17:28
		display))same past\$1forward	US-PGPUB;	2004/03/03 17:28
			EPO; JPO;	
			DERWENT; IBM_TDB	
-	282	r ·	USPĀT;	2004/09/09 17:29
		display))same (VCR near3 function\$1)	US-PGPUB; EPO; JPO;	
			DERWENT;	
-	225	(VCR with (television or monitor or	IBM_TDB USPAT;	2004/09/09 17:29
		display))same (VCR near2 function\$1)	US-PGPUB;	
			EPO; JPO; DERWENT;	
	1		IBM TDB	

-	61	(VCR with (television or monitor or display))same (VCR near2 function\$1) same	USPAT; US-PGPUB;	2004/09/09 17:29
		play\$3	EPO; JPO; DERWENT;	
_	39	((VCR with (television or monitor or display))same (VCR near2 function\$1) same	IBM_TDB USPAT; US-PGPUB;	2004/09/14 18:18
		play\$3) and (@ad<=19991028 or @rlad<=19991028)	EPO; JPO; DERWENT;	
-	1	"United video properties".as. and pointer same playback	IBM_TDB USPAT; US-PGPUB;	2004/09/09 17:45
		Same playback	EPO; JPO; DERWENT;	
-	1	"United video properties".as. and (pointer same play\$3)	IBM_TDB USPAT; US-PGPUB;	2004/09/09 19:27
			EPO; JPO; DERWENT;	
-	230	Freeman.in. and trigger\$1	IBM_TDB USPAT; US-PGPUB;	2004/09/09 18:59
			EPO; JPO; DERWENT;	
_	3	Freeman.in. and trigger\$1 and Internet and VBI	IBM_TDB USPAT; US-PGPUB;	2004/09/09 18:59
			EPO; JPO; DERWENT;	
-	35	Freeman.in. and trigger\$1 and Internet	IBM_TDB USPAT; US-PGPUB;	2004/09/09 19:19
			EPO; JPO; DERWENT; IBM TDB	
-	82	725/89.ccls.	USPAT; US-PGPUB;	2004/09/09 19:27
			EPO; JPO; DERWENT; IBM TDB	
-	23	725/89.ccls. and (@ad<=19991028 or @rlad<=19991028)	USPĀT; US-PGPUB;	2004/09/09 20:08
			EPO; JPO; DERWENT; IBM TDB	
-	14	@rlad<=19991028) and (rewind\$3 or	USPAT; US-PGPUB;	2004/09/09 19:40
		fast\$1forward)	EPO; JPO; DERWENT; IBM TDB	
-	5469	((VCR near3 function\$1) or fast\$1forward\$3 or rewind\$3) same (receiv\$3 or STB or STT	USPĀT; US-PGPUB;	2004/09/09 20:09
		or STU)	EPO; JPO; DERWENT; IBM TDB	
-	2652	((VCR near3 function\$1) or fast\$1forward\$3 or rewind\$3) same (receiv\$3 or STB or STT	USPAT; US-PGPUB;	2004/09/09 20:10
		or STU)same (load\$3 or record\$3 or stor\$3 or buffer\$3)	EPO; JPO; DERWENT; IBM TDB	
_	428	(725/86-104.ccls. or 386/\$.ccls.) and (((VCR near3 function\$1) or	USPĀT; US-PGPUB;	2004/09/09 20:10
		<pre>fast\$lforward\$3 or rewind\$3) same (receiv\$3 or STB or STT or STU)same (load\$3 or record\$3 or stor\$3 or buffer\$3)</pre>	EPO; JPO; DERWENT; IBM TDB	

		<u> </u>		
_	306	(((VCR near3 function\$1) or fast\$1forward\$3 or rewind\$3) same	USPAT; US-PGPUB; EPO; JPO;	2004/09/09 20:11
		<pre>(receiv\$3 or STB or STT or STU)same (load\$3 or record\$3 or stor\$3 or buffer\$3))) and (@ad<=19991028 or @rlad<=19991028)</pre>	DERWENT; IBM_TDB	
-	113	· ·	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/09/09 20:08
-	63	buffer\$3)) ((725/86-104.ccls.) and (((VCR near3 function\$1) or fast\$1forward\$3 or rewind\$3) same (receiv\$3 or STB or STT or STU)same (load\$3 or record\$3 or stor\$3 or buffer\$3))) and (@ad<=19991028 or @rlad<=19991028)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/09 20:09
-	5768	· ·	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/09 20:09
-	2773	((VCR near3 function\$1) or fast\$1forward\$3 or rewind\$3) same (receiv\$3 or STB or STT or STU or recept\$5)same (load\$3 or record\$3 or stor\$3 or buffer\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/09 20:10
-	114	(725/86-104.ccls.) and (((VCR near3 function\$1) or fast\$1forward\$3 or rewind\$3) same (receiv\$3 or STB or STT or STU or recept\$5)same (load\$3 or record\$3 or stor\$3 or buffer\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/09 20:10
-	64		USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/09 21:24
_	4217		USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/09 21:25
-	1738	remain\$4) and (@ad<=19991028 or @rlad<=19991028)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/09 21:25
-	15	((pre\$fetch\$3 or pre\$load\$3) with remain\$4)same (movie\$1 or video or television or TV) and (@ad<=19991028 or @rlad<=19991028)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/09 21:29
-	5	NVOD and 725/102.ccls. and (@ad<=19991028 or @rlad<=19991028)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/09 21:30
_	20	725/102.ccls. and (@ad<=19991028 or @rlad<=19991028)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/09 21:30
_	21250	(jump\$3 or skip\$4 or seek\$3) near4 (point\$3 or position)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/10 13:18

-	2146		USPAT;	2004/09/10 13:19
		(point\$3 or position)) with (stor\$3 or	US-PGPUB;	
	i	buffer\$3 or cache or memory)	EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	325	((jump\$3 or skip\$4 or seek\$3) near4	USPAT;	2004/09/10 13:19
İ		(point\$3 or position)) with (stor\$3 or	US-PGPUB;	
		buffer\$3 or cache or memory) same (VOD or	EPO; JPO;	
		NVOD or movie or program or television)	DERWENT;	ł
		lives of moves of program of totoviolou,	IBM TDB	
_	436	((jump\$3 or skip\$4 or seek\$3) near4	USPAT;	2004/09/10 13:20
i	100	(point\$3 or position)) with (stor\$3 or	US-PGPUB;	2004/03/10 13.20
1		buffer\$3 or cache or memory) same (VOD or	EPO; JPO;	
		NVOD or movie or program or television or	DERWENT;	
		video)	IBM TDB	
_	30	1	USPAT;	2004/09/10 13:20
		(point\$3 or position)) with (stor\$3 or	US-PGPUB;	2004/03/10 13:20
		buffer\$3 or cache or memory) same (VOD or	EPO; JPO;	
		NVOD or movie or program or television or		
		wideel) and (725/6 calc. on 206/6 calc.)	DERWENT;	
1_	22	video)) and (725/\$.ccls. or 386/\$.ccls)	IBM_TDB	2004/00/10 10 10
-	22		USPAT;	2004/09/10 16:19
1		(point\$3 or position)) with (stor\$3 or	US-PGPUB;	
1		buffer\$3 or cache or memory) same (VOD or	EPO; JPO;	
		NVOD or movie or program or television or	DERWENT;	
		video)) and (725/\$.ccls. or 386/\$.ccls))	IBM_TDB	
		and (@ad<=19991028 or @rlad<=19991028)		
-	11146	(buffer\$1 same (realtime or (real near2	USPAT;	2004/09/14 16:23
		time)))	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	50	(USPAT;	2004/09/14 16:42
		time)))same (pre\$1fetch\$3 or (pre near2	US-PGPUB;	
		fetch\$3))	EPO; JPO;	
	1		DERWENT;	
			IBM TDB	
-	70	(buffer\$1 same (realtime or (real near2	USPAT;	2004/09/14 16:24
1.		time)))same (pre\$1fetch\$3 or (pre near2	US-PGPUB;	
		fetch\$3) or pre\$1load\$3 or	EPO; JPO;	
		pre\$1download\$3)	DERWENT;	
	1		IBM TDB	
-	46	((buffer\$1 same (realtime or (real near2	USPAT;	2004/09/14 16:44
		time)))same (pre\$1fetch\$3 or (pre near2	US-PGPUB;	
		fetch\$3) or pre\$1load\$3 or	EPO; JPO;	
1		pre\$1download\$3)) and (@ad<=19991028 or	DERWENT;	
	i	@rlad<=19991028)	IBM_TDB	;
-	356	(buffer\$1 same (realtime or (real near2	USPAT;	2004/09/14 16:43
		time)))same ((transmit\$4 provid\$3 or	US-PGPUB;	,, 10.45
		deliver\$3) with (rate\$1 or speed))	EPO; JPO;	
		-, -, (- 02	DERWENT;	
			IBM TDB	
-	27	(buffer\$1 same (realtime or (real near2	USPAT;	2004/09/14 16:47
		time)))same ((transmit\$4 provid\$3 or	US-PGPUB;	
		deliver\$3) with (rate\$1 or speed)) same	EPO; JPO;	
		(load\$3 or download\$3 or pre\$3fetch\$3 or	DERWENT;	
		pre\$3load\$3)	IBM TDB	j l
_	19	((buffer\$1 same (realtime or (real near2	USPAT;	2004/09/14 16:49
	-	time)))same ((transmit\$4 provid\$3 or	US-PGPUB;	2004/09/14 10:49
[deliver\$3) with (rate\$1 or speed)) same	EPO; JPO;	
		(load\$3 or download\$3 or pre\$3fetch\$3 or	DERWENT;	
]		pre\$3load\$3)) and (@ad<=19991028 or	IBM TDB	
		@rlad<=19991028)	15.1_105	
_	232	(buffer\$1 same (pre\$3fetch\$3 or	USPAT;	2004/09/14 16:48
	232	pre\$11oad\$3 or pre\$3download\$3)) same	US-PGPUB;	2004/03/14 10:48
		(movie\$1 or video)	1	
	ĺ	(WOATCAT OT AIGEO)	EPO; JPO;	
			DERWENT;	
_	78	(hufforst same (prosectorals)	IBM TDB	2004/00/14 15 15
j	′°	(buffer\$1 same (pre\$3fetch\$3 or	USPAT;	2004/09/14 16:49
ļ		pre\$1load\$3 or pre\$3download\$3)) same	US-PGPUB;	
]		(movie\$1 or video) and (VOD or NVOD or	EPO; JPO;	
		demand\$3)	DERWENT;	
			IBM TDB	

		-	_	
_	43	((buffer\$1 same (pre\$3fetch\$3 or	USPAT;	2004/09/14 18:17
	Į	pre\$11oad\$3 or pre\$3download\$3)) same	US-PGPUB;	
		(movie\$1 or video) and (VOD or NVOD or	EPO; JPO;	
		demand\$3)) and (@ad<=19991028 or	DERWENT;	
		@rlad<=19991028)	IBM TDB	1
_	545	l -	USPĀT;	2004/09/14 18:19
	1	(VOD or NVOD or demand\$3))) and	US-PGPUB;	
		(@ad<=19991028 or @rlad<=19991028)	EPO; JPO;	1
]	(DERWENT;	
			IBM TDB	
_	112	(((buffer\$1 same (movie\$1 or video) same	USPAT;	2004/09/14 18:18
	112	(VOD or NVOD or demand\$3))) and	US-PGPUB;	2004/03/14 10:10
		(@ad<=19991028 or @rlad<=19991028)) and	EPO; JPO;	
		725/\$.ccls.	DERWENT;	
		723/4.0018.	IBM TDB	
	112	((((buffer\$1 same (movie\$1 or video) same	USPAT;	2004/09/14 18:18
_	112	· · · · · · · · · · · · · · · · · ·		2004/09/14 18:18
		(VOD or NVOD or demand\$3))) and	US-PGPUB;	
		(@ad<=19991028 or @rlad<=19991028)) and	EPO; JPO;	
		725/\$.ccls.) and (@ad<=19991028 or	DERWENT;	
		@rlad<=19991028)	IBM_TDB	
_	71	(\	USPAT;	2004/09/14 18:20
		(segment or portion\$1 or interval or	US-PGPUB;	
		period)) same (VOD or NVOD or demand\$3)))	EPO; JPO;	
		and (@ad<=19991028 or @rlad<=19991028)	DERWENT;	
			IBM_TDB	
-	8	((USPAT;	2004/09/14 18:26
		(segment or portion\$1 or interval or	US-PGPUB;	
		period)) same (rest or remain\$3) same (VOD	EPO; JPO;	
		or NVOD or demand\$3))) and (@ad<=19991028	DERWENT;	
		or @rlad<=19991028)	IBM TDB	1
_	78	((buffer\$1 same ((movie\$1 or video)with	USPAT;	2004/09/14 18:53
		(segment or portion\$1 or interval or	US-PGPUB;	
		period)) same (rest or remain\$3) and (VOD	EPO; JPO;	
		or NVOD or demand\$3))) and (@ad<=19991028	DERWENT:	
		or @rlad<=19991028)	IBM TDB	
_	64	· ·	USPAT;	2004/09/15 16:52
		or demand\$3)) and (@ad<=19991028 or	US-PGPUB;	333,733,733,733
		@rlad<=19991028)	EPO; JPO;	
		(2244, 25551020)	DERWENT;	
			IBM TDB	
	l .	I and the second se	I TOM IDD	1